

31/20 80 10/10 10

Installation

The top and bottom track stops have to be adjusted in a way that the tracks and guides stop simultaneously.

Hardware system for semi-overlaying sliding cabinet doors up to 40 kg (88 lbs.).

Description

The HAWA-Dorado 40/MS is a high-quality hardware system equipped with a patented suspension system. It permits very quick and easy installation. A 35 mm (1 $\frac{3}{8}$ ") concealed press-fit cup permits the sliding doors to be installed and removed from below with a fixed facing, or from the front if the facing is removed. Progressive vertical and lateral adjustment can be carried out without removing the sliding doors as long as the hardware system is freely accessible on the inside of the cabinet. This system is especially suitable for wide doors, which are held by bottom guide channels fixed at two points.


Centre bottom overlaying sliding doors can be moved to both sides thanks to the additional stop bumper 13315 installed on the base.

Applications

This hardware system is ideal wherever well-constructed high quality cabinets with smooth-running sliding doors are required, e.g. in hotels, offices, the industrial and administration sectors, apartments, etc.

Features of the HAWA-Dorado 40/MS

- Maximum sliding door weight 40 kg (88 lbs.)
- Door thicknesses 19, 22 and 25 mm $(\frac{3}{4}^{"}, \frac{55}{64}^{"})$ and $(\frac{3}{64}^{"}, \frac{55}{64}^{"})$
- Concealed press-in cup, 35 mm (1 3 mm (1 3 mm)
- Simple vertical adjustment ± 3 mm (\frac{1}{8}")
- Track stop at top with adjustable retainer
- Track stop at bottom as bumper



Subject to modification. Metric specifications are exact. Inches are approximate.

Sets without top track and bottom guide channels

	panel	code
HAMA Davida 40/MC	2	11633
HAWA-Dorado 40/MS	3	11636

- For 4-panel sliding doors, two 2-panel sets must be ordered,
- for 5-panel sliding doors, one 2-panel and one 3-panel set must be ordered,
 for 6-panel sliding doors, sets of special asssortment must be ordered.
- If the centre panel is to be at the rear, the hardware system has to be ordered specially.

Set comprising

Set comprising				
		11633	11636	code
	Concealed press-fit cup with hanger bolt, M8, right	2	3	10486
	Concealed press-fit cup with hanger bolt, M8, left	2	3	10487
	Trolley hanger, M8, sleeve bearing mounted, highgrade polyamide tandem rollers	4	6	10420
	Track stop with adjustable retainer	4	4	10640
	Bottom guide for inner door	2	4	10535
	Bottom guide for outer door, adjustable	2	2	10536
	Bottom guide channel stop	4	4	10616
0	Plug-in rubber stop	2	2	10589
	Hex key, 3 mm, short version	1	1	10785
	Countersunk EURO-screws, 9-piece set	2	3	11613
	Vertical adjustment pin	1	1	10795

Dual top tracks

Caution: Hole positions vary.		mm/inch	code
	Dual top track, alu plain anodized, predrilled	2500 (8'2 27")	10231
		3500 (11'5 51")	10233
		6000 (19'8 ⁷ / ₃₂ ")	10227
		cut to size	10234

Single top tracks

Caution: Hole positions vary.		mm/inch	code
	plain anodized, predrilled (for door thicknesses over $(\frac{65}{64})$)	1400 (4'7 18")	10213
		1600 (5'2 63")	10214
		1800 (5'10 55 ii)	10215
		2000 (6'6 47")	10216
		3000 (9'10 ⁷ / ₆₄ ")	18530
		4000 (13'1 ⁷ / ₃₂ ")	18531
		6000 (19'8 31")	10211
		cut to size	10217

Dual bottom guide channels

Caution: Hole positions vary.		mm/inch	code
	Dual bottom guide channel, alu plain anodized, predrilled	2500 (8'2 ²⁷ ")	10251
		3500 (11'5 51")	10253
		6000 (19'8 ⁷ / ₃₂ ")	10254
		cut to size	10256

Bottom guide channels for special applications

Caution: Hole positions vary.		mm/inch	code
	Single bottom guide channel, alu plain anodized, predrilled	cut to size	10304

Accessory

Stop bumper for central sliding door, front running 13315		code
	Stop bumper for central sliding door, front running	13315

Centre stop for 3-panel sliding/wardrobe doors: When using a centre stop, sliding cabinet/wardrobe base support must be to the rear by 20.5 mm ($2\frac{23}{64}$).

Orderspecifications

- Number and type of hardware sets
- Type and length of top track
- Type and length of bottom guide channel
- Number of additional stop bumpers
- Number of stop bumpers for central sliding door

Planning/installation

Please use for planning and execution the installation instructions code 17658. (\rightarrow www.hawa.ch \rightarrow HAWA-Productfinder)

Subject to modification. Metric specifications are exact. Inches are approximate.